



# NEO Exchange

## NITCH Market Data Specification

Private & Confidential

The information contained in this document is the property of NEO Exchange and you will not acquire any rights or licenses to any of the information contained herein. You may not use, distribute, sell, modify, republish, or create derivative works of the information contained herein without the prior written permission of NEO Exchange.

**Date:** 03 December 2020  
**Version:** 1.09 - Final

## TABLE OF CONTENTS

<b>1</b>	<b>REFERENCED DOCUMENTS</b> .....	<b>8</b>
1.1	REFERENCED DOCUMENTS.....	8
1.2	DOCUMENT VERSION HISTORY .....	8
1.3	TERMS & DEFINITIONS .....	10
<b>2</b>	<b>OVERVIEW</b> .....	<b>11</b>
2.1	PRODUCTION HOURS OF OPERATION .....	11
2.2	SUPPORTED VENUES .....	11
2.3	SUPPORT.....	11
<b>3</b>	<b>SYSTEM ARCHITECTURE</b> .....	<b>12</b>
3.1	REAL TIME CHANNEL.....	12
3.2	REPLAY CHANNEL.....	13
3.3	RECOVERY CHANNEL .....	13
<b>4</b>	<b>SERVICE DESCRIPTION</b> .....	<b>14</b>
4.1	OVERVIEW OF A TRADING DAY .....	14
4.1.1	Trading on the Order Book.....	14
4.1.1.1	<i>NEO Exchange listed instruments</i> .....	14
4.1.1.2	<i>Non-NEO listed instruments</i> .....	16
4.1.2	Trading Halt.....	17
4.1.3	No Matching Halt.....	17
4.1.4	Re-Opening Auction Call .....	17
4.1.5	Instrument Suspension .....	17
4.1.6	Intra-Day Trading Session Updates.....	18
4.1.6.1	<i>Extension of a Pre-Open Session</i> .....	18

4.1.6.2	<i>Adjustment by Market Operations</i> .....	18
4.1.7	New Instruments .....	18
4.2	FULL DEPTH INCREMENTAL SERVICE .....	18
4.2.1	Order Book Management – MBO .....	19
4.2.1.1	<i>Adding an Order</i> .....	19
4.2.1.2	<i>Deleting an Order</i> .....	19
4.2.1.3	<i>Modifying an Order</i> .....	19
4.2.1.4	<i>Executions</i> .....	19
4.2.2	Order Book Management – MBP .....	20
4.2.2.1	<i>Adding an Order</i> .....	20
4.2.2.2	<i>Deleting an Order</i> .....	20
4.2.2.3	<i>Modifying an Order</i> .....	20
4.2.2.4	<i>Executions</i> .....	20
4.2.3	Announcement Service.....	20
4.2.4	Indicative Auction Information .....	21
<b>5</b>	<b>COMMON DATA ITEMS</b> .....	<b>22</b>
5.1	TRADES .....	22
5.2	STATISTICS.....	22
5.3	INSTRUMENT STATUS .....	23
5.4	INSTRUMENT REFERENCE DATA.....	23
5.5	SYSTEM EVENTS .....	24
<b>6</b>	<b>CONNECTIVITY</b> .....	<b>25</b>
6.1	TRANSMISSION STANDARDS .....	25
6.1.1	Multicast Channels.....	25

6.1.2	Unicast Channels .....	25
6.2	USERIDS .....	25
6.3	PRODUCTION IP ADDRESSES AND PORTS .....	25
6.4	BANDWIDTH.....	25
<b>7</b>	<b>RECOVERY .....</b>	<b>26</b>
7.1	RECIPIENT FAILURES.....	26
7.1.1	Replay Channel .....	26
7.1.1.1	<i>Establishing a Connection .....</i>	<i>27</i>
7.1.1.2	<i>Heartbeats.....</i>	<i>28</i>
7.1.1.3	<i>Requesting Missed Messages.....</i>	<i>28</i>
7.1.1.4	<i>Response to a Replay Request.....</i>	<i>28</i>
7.1.1.5	<i>Termination of the Connection.....</i>	<i>29</i>
7.1.2	Recovery Channel.....	29
7.1.2.1	<i>Establishing a Connection .....</i>	<i>30</i>
7.1.2.2	<i>Heartbeats.....</i>	<i>31</i>
7.1.2.3	<i>Requesting Recovery Data .....</i>	<i>31</i>
7.1.2.4	<i>Recovery Levels.....</i>	<i>31</i>
7.1.2.5	<i>Response to a Recovery Request .....</i>	<i>32</i>
7.1.2.6	<i>Order Book Recovery – Instrument Level Request.....</i>	<i>33</i>
7.1.2.7	<i>Order Book Recovery – Group or Channel Level Request.....</i>	<i>34</i>
7.1.2.8	<i>Instrument Directory Recovery.....</i>	<i>35</i>
7.1.2.9	<i>Trades Recovery.....</i>	<i>35</i>
7.1.2.10	<i>Statistics Recovery.....</i>	<i>36</i>
7.1.2.11	<i>Announcements Recovery .....</i>	<i>36</i>

7.1.2.12	<i>Instrument Status Recovery</i>	37
7.1.2.13	<i>Termination of the Connection</i>	37
7.2	FAILURES OF NEO EXCHANGE NITCH FEED	37
7.2.1	Recoveries on the Real time channel	37
7.2.2	Resetting Sequence Numbers	38
<b>8</b>	<b>MESSAGE FORMATS</b>	<b>39</b>
8.1	DATA TYPES	39
8.2	MESSAGE OVERVIEW	40
8.2.1	Administrative Messages	40
8.2.2	Application Messages	41
8.2.3	Intelligent Throttling	42
8.3	UNIT HEADER	43
8.4	ADMINISTRATIVE MESSAGES (CLIENT – INITIATED)	44
8.4.1	Login Request	44
8.4.2	Replay Request	44
8.4.3	Recovery Request	45
8.5	ADMINISTRATIVE MESSAGES (SERVER – INITIATED)	47
8.5.1	Heartbeat	47
8.5.2	Login Response	47
8.5.3	Replay Response	48
8.5.4	Recovery Response	48
8.5.5	Replay and Recovery Complete	50
8.6	APPLICATION MESSAGES	50
8.6.1	System Event	50

8.6.2	Instrument Directory .....	51
8.6.3	Instrument Status .....	56
8.6.4	Add Order Incremental .....	58
8.6.5	Add Order Incremental MBP .....	59
8.6.6	Delete Order .....	60
8.6.7	Delete Order MBP .....	61
8.6.8	Modify Order .....	61
8.6.9	Modify Order MBP .....	63
8.6.10	Order Book Clear .....	64
8.6.11	Trade .....	64
8.6.12	Statistics .....	67
8.6.13	Statistics Update .....	68
8.6.14	Statistics Snapshot .....	70
8.6.15	Announcements .....	73
<b>9</b>	<b>ADDITIONAL FIELD VALUES .....</b>	<b>74</b>
9.1.1	Book Type .....	74
9.1.2	Segment .....	74
9.1.3	Trading Status .....	74
9.1.4	Opening / Closing Price Indicator .....	76
9.1.5	Gateway ID .....	77
9.1.6	Source Venue .....	77
<b>10</b>	<b>APPENDIX I .....</b>	<b>78</b>
10.1	CONVERSION OF NEGATIVE VALUES IN PRICE FIELDS .....	78
10.1.1	Encoding Negative Values in Price Fields .....	78

10.1.2	Decoding Negative Values in Price Fields .....	78
<b>11</b>	<b>APPENDIX II: CONVERSION OF ORDER AND TRADE IDENTIFIERS .....</b>	<b>80</b>
11.1	ORDER ID .....	80
11.1.1	Order ID format (in ASCII) .....	80
11.1.2	Conversion Logic .....	80
11.2	TRADE ID .....	81
11.2.1	Trade ID format (in ASCII) .....	81
11.2.2	Conversion Logic .....	82
11.3	BASE 62 MAPPING TABLE .....	83

# 1 Referenced Documents

## 1.1 Referenced Documents

Related Documents Title	Version
NEO Exchange - Connectivity Guide	1.09

## 1.2 Document Version History

Version	Comments / Revision Type	Date
1.00	Initial document publication	Jul 16 '14
1.01	Document revisions and modifications <ul style="list-style-type: none"> <li>- Renaming Protocol Specification to NITCH</li> <li>- <a href="#">S8.6.2</a> – Add'n of Security Subtype Definitions</li> <li>- <a href="#">S10-S11</a> – Appendix / reference data information addition</li> <li>- Added description information on handling the Auction Bulk Message</li> <li>- Added additional information about All Books Book Type definition and use</li> <li>- Added Appendix II to support conversion of Order and Trade Identifiers</li> </ul>	Sept 16 '14
1.02	Updates to: <ul style="list-style-type: none"> <li>- <a href="#">S7.1.2.7</a> – Update to Market Data Group Identifier from "A" to "a"</li> <li>- <a href="#">S8.6.3</a> - Added new session change reason for Auction Execution</li> <li>- <a href="#">S8.6.4</a>, <a href="#">S8.6.8</a> – Change to value for SettlementType</li> <li>- <a href="#">S9.1.3</a>– updates to values to Trading Status to include Post-Close session</li> <li>- <a href="#">S4.1.1.1</a> and <a href="#">S4.1.1.2</a> – Updates to the Closed Session transition</li> <li>- <a href="#">S7.1.1.5</a> &amp; <a href="#">S7.1.2.13</a> – Updates to connection termination behaviour for Replay and Recovery channels</li> </ul>	Nov 4 '14
1.03	Updates to:	Mar 13 '15



	<ul style="list-style-type: none"> <li>- <a href="#">S4.1.1.1</a> &amp; <a href="#">S4.1.1.2</a> – Add’l descriptions on expected handling during each trading session and corrections</li> <li>- <a href="#">S5.1</a> – Clarification on Auction Individual volume</li> <li>- <a href="#">S7.1</a> – Add’l description on recipient failure handling</li> <li>- <a href="#">S7.1.2.7</a>, <a href="#">S7.1.2.8</a>, <a href="#">S7.1.2.9</a>, <a href="#">S7.1.2.10</a>, <a href="#">S7.1.2.11</a>, <a href="#">S7.1.2.12</a> – Correcting status values</li> <li>- <a href="#">S8.6.2</a> – Add’n of SecuritySubType value</li> <li>- <a href="#">S9.1.3</a> – Add’l descriptions on expected handling during each Trading Status</li> </ul>	
1.03a	<p>Updates to:</p> <ul style="list-style-type: none"> <li>- <a href="#">S5.1</a> – Spec point cleanup</li> </ul>	Mar 20 `15
1.04	<p>Updates to:</p> <ul style="list-style-type: none"> <li>- <a href="#">S4.2.4</a> – Spec point cleanup</li> <li>- <a href="#">S5.1</a> – Spec point cleanup</li> <li>- <a href="#">S9.1.3</a> – Add’n of Trading Status value</li> </ul>	Nov 13 `15
1.05	<p>Updates to:</p> <ul style="list-style-type: none"> <li>- <a href="#">S8.6.11</a> – Add’n of Derivative Cross Type</li> </ul>	Jun 14 `17
1.06	<ul style="list-style-type: none"> <li>- <a href="#">S4.1.6.1</a> – Spec point cleanup</li> <li>- <a href="#">S9.1.2</a> – Added the Segment Table</li> <li>- <a href="#">S8.6.2</a> – Added the Segment Table</li> <li>- Rebranded document</li> </ul>	Nov 2 `17
1.07	<p>Updates to:</p> <ul style="list-style-type: none"> <li>- <a href="#">S4.1.1.1</a> – Add’l description for handling of NEO Connect instruments</li> <li>- <a href="#">S4.2</a> – Add’l description for handling of NEO Connect instruments</li> <li>- <a href="#">S5.2</a> – Add’l description for stats dissemination for NEO Connect instruments</li> <li>- <a href="#">S8.6.2</a> – Add’n of new Segment and Security Type</li> <li>- <a href="#">S9.1.2</a> – Add’n of Segment value</li> <li>- <a href="#">S9.1.3</a> – Add’n of Trading Status value</li> </ul>	Jan 15 `18
1.08	<p>Updates:</p> <ul style="list-style-type: none"> <li>- <a href="#">S3</a> – Added reference to NEO-D Book</li> <li>- <a href="#">S4.1.1.1</a> – Added reference to NEO-D Book in Pre-Open session</li> </ul>	Jun 7 `18

	<ul style="list-style-type: none"> <li>- <a href="#">S4.1.1.2</a> – Added reference to NEO-D Book in Pre-Open</li> <li>- <a href="#">S8.6.2</a> – Added NEO-D Book to allowed book types</li> <li>- <a href="#">S8.6.2</a> – Added FOTS to Segment</li> <li>- <a href="#">S9.1.1</a> – Added NEO-D Book to Book Types</li> <li>- <a href="#">S9.1.2</a> – Added FOTS to Segments</li> <li>- <a href="#">S9.1.3</a> – Added reference to NEO-D Book in Trading Status for Pre-Open</li> </ul>	
1.08a	Updates: <ul style="list-style-type: none"> <li>- <a href="#">S2.1</a> – Spec point cleanup</li> </ul>	Jun 25 '18
1.09	Updates: <ul style="list-style-type: none"> <li>- <a href="#">S8.6.2</a> – Added a SecuritySubType value</li> <li>- <a href="#">S8.6.11</a> - Added new Cross Type value (Closing Price Publication)</li> </ul>	Nov 11, '20

### 1.3 Terms & Definitions

<b>Term</b>	<b>Definition</b>
<b>DR</b>	Disaster Recovery Site
<b>PDC</b>	Primary Data Centre
<b>SDC</b>	Secondary Data Centre
<b>NEO</b>	NEO Exchange
<b>NEO-L</b>	Trading Book
<b>NEO-N</b>	Trading Book
<b>NEO-D</b>	Trading Book

## 2 Overview

The market data feed is a stream of fixed width binary messages that provide real time information for each instrument supported by NEO. The following set of information will be available within NEO market data solution:

Full depth incremental order book service with instrument status updates

1. Trades reported by NEO.
2. A set of statistics; some calculated by the exchange
3. Instrument reference data.
4. Announcements by NEO.

### 2.1 Production Hours of Operation

The feed will operate from **06:00:00** to **18:45:00** (ET) each trading day.

### 2.2 Supported Venues

The feed will disseminate data for the following venue.

1. NEO

### 2.3 Support

For any questions or general enquiries regarding this document, please contact NEO Exchange Operations.

**E-mail:** [exchangeoperations@neostockexchange.com](mailto:exchangeoperations@neostockexchange.com)

**Phone:** 416-933-5950

## 3 System Architecture

Supporting the distribution of NEO public market data, all information will be disseminated from a single real time multicast channel. This feed will include all NEO-L, NEO-N, NEO-D, NEO Connect and Crossing trading books data on the same channel. The NEO-L will be represented as a Market by Order book and the NEO-N as a Market by Price book. The NEO Connect data and NEO-D and Crossing trading books will not disseminate order events, only trades.

Two TCP based recovery channels are available supporting the distribution channel; Replay and Recovery. For small gaps, a client may connect to the replay channel in order to gap fill recent order book data loss. If large gaps are experienced, a client should use the recovery channel.

### 3.1 Real time channel

The real-time channel is the primary means of disseminating market data. Real time updates to instruments and all market data supported by the feed are available on this multicast channel.

A basic set of information regarding active instruments in the market data group will be published at the start of the trading day.

This channel will publish full depth order book information on a real time incremental basis. Details of each trade are published on the order book channel while a set of statistics will also be disseminated.

In addition to the above, announcements published by NEO will be disseminated on this channel.

Each application message includes a sequence number which is incremented by one for every message disseminated on the Real time channel. The sequence number is reset to 1 at the start of each valid trading day.

The server will send a Heartbeat message to exercise the communication line during periods of inactivity. A Heartbeat will be sent every <2> seconds when the Real time channel is inactive.

Recipients have access to two identically sequenced real time feeds (Feed A and Feed B) from both the PDC and SDC. Recipients may process both feeds within a single site

and arbitrate between them to minimise the probability of a data loss. Arbitration of the real time feed between PDC and SDC are not supported.

## 3.2 Replay Channel

The TCP replay channel permits recipients to request the retransmission of a limited number of messages already published on the real time feed. This channel may be used by recipients to recover from a small data loss.

The replay channel supports the retransmission of the last `<100,000>` messages published on each real time channel. The channel does not support the retransmission of messages published on previous trading days or those published on the recovery channel.

## 3.3 Recovery Channel

The TCP snapshot recovery channel may be used by recipients to recover from a large-scale data loss. The following sets of data is available on this channel:

1. Recovery of the order book for any active instrument in the market data group.
2. Reference data of instruments.
3. All the trades or a set of trades reported during the day.
4. Recovery of the statistics.
5. All the announcements published during the day.
6. Current Status of an instrument.

## 4 Service Description

### 4.1 Overview of a Trading Day

#### 4.1.1 Trading on the Order Book

A typical trading day at NEO will consist of several scheduled sessions. The transition of these sessions will be communicated via Instrument Status messages, with the relevant Trading status and the Book Type. The following are some of the key trading sessions and their respective message flows.

##### 4.1.1.1 NEO Exchange listed instruments

<b>Session</b>	<b>Description</b>
Market Open	<p>The market data feed begins. Recipients should aim to join the feed at this time.</p> <p>A System Event message will be published as the first application message for the day with the Event Code "O".</p> <p>Instrument Directory messages will then be published for each instrument.</p>
Pre-Trading	<p>An Instrument Status message will be broadcast with the status 'y' to commence this session.</p> <p>Clients may receive Order book related messages during this session as a result of GTC / GTD orders being re-entered into the market.</p>
Pre-Open	<p>An Instrument Status message will be broadcast with the status 'o' to commence this session.</p> <p>For NEO Connect instruments, this session will be used for AM auctions to execute orders entered on T+1 basis. Trades will be executed at the start of the Pre-Open session and be reported as a set of Trade messages.</p> <p>Clients will receive NEO-D related messages during this session.</p>
Pre-Open	<p>The trading day begins. Details of order books will be published.</p> <p>An Instrument Status message will be broadcast with a status 'a' to commence this session.</p> <p>Indicative opening information will be disseminated via the Statistics Update message.</p>

	<p>Trades are executed at the end of the Pre-Open session. The trades executed in the opening auction will, for each instrument, be reported as a set of Trade messages.</p> <p>This session is only applicable for the NEO-L.</p>
Post-Open	<p>Continuous trading begins.</p> <p>An Instrument Status message will be broadcasted with a status 'T' to commence the session.</p> <p>Order book updates and trades for each instrument will be disseminated real time.</p> <p>Order book updates will not be disseminated for the NEO Connect instruments.</p>
MOC Imbalance	<p>Indicative closing information will be disseminated via the Statistics Update message.</p> <p>The trades executed in the closing auction will be reported as individual trade prints via the Trade message with trade type set to 2.</p> <p>This session is only applicable for NEO-L.</p>
Pre Close	<p>An Instrument Status message will be broadcast with the status 'r' to commence this session.</p> <p>This session is only applicable for NEO Connect.</p>
Closing Price Publication	<p>The closing price of each instrument will be published via the Statistics Update message.</p>
Extended Trading	<p>Continuous trading at the closing price begins.</p> <p>An Instrument Status message will be broadcasted with a status 'u' to commence the session.</p> <p>Order book updates, trades and statistics updates will be disseminated during this session.</p> <p>This session is only applicable for NEO-L.</p>
Closed	<p>At the start of this session an Instrument Status message will be broadcast for each tradable instrument with the Trading Status "b".</p>
Market Close	<p>The end of the trading day.</p> <p>An Instrument Status message will be broadcast for each tradable instrument with the Trading Status "c".</p> <p>Clients may also receive Trade messages during this session for the trades which are cancelled.</p>
End of Day	<p>The market data feed will stop at this time.</p>

	A System Event message will be published with the Event Code "C". This will be the last application message for the day.
--	--

#### 4.1.1.2 Non-NEO listed instruments

<b>Session</b>	<b>Description</b>
Market Open	The market data feed begins. Recipients should aim to join the feed at this time. A System Event message will be published as the first application message for the day with the Event Code "O". Instrument Directory messages will then be published for each instrument.
Pre-Trading	An Instrument Status message will be broadcast with the status 'y' to commence this session. Clients may receive Order book related messages during this session.
Pre-Open	An Instrument Status message will be broadcast with the status 'o' to commence this session. Clients will only receive NEO-D related messages during this session. This session is only applicable for NEO-D.
Post-Open	Continuous trading begins. An Instrument Status message will be broadcast with a status 'T' to commence the session. Order book updates and trades for each instrument will be disseminated real time.
Closing Price Publication	The closing price of each instrument will be published via the Statistics Update message.
Closed	At the start of this session an Instrument Status message will be broadcast for each tradable instrument with the Trading Status "b".
Market Close	The end of the trading day. An Instrument Status message will be broadcast for each tradable instrument with the Trading Status "c". Clients may also receive Trade messages during this session for the trades which are cancelled.
End of Day	The market data feed will stop at this time.



	A System Event message will be published with the Event Code "C". This will be the last application message for the day.
--	--

#### 4.1.2 Trading Halt

An Instrument Status message with the relevant Halt Trading Status will be published if an instrument or an order book is temporarily halted. If trading is later resumed, an Instrument Status message, with the appropriate Trading Status (e.g. Post-Open) and Book Type, will be published.

An Instrument Status message, with the relevant Halt Trading Status, will be published if an instrument is halted across multiple days. Clients will receive an Instrument Status message with the relevant Halt Trading Status if it is still in halted state at start of day. It will be published for each Book Type at the start of the first scheduled session (i.e. Pre-Trading).

Instrument Status messages, with the current active status of the instrument and the order books will be published if the halt is lifted during trading hours.

#### 4.1.3 No Matching Halt

An Instrument Status message with the Trading Status "l" (lowercase of "L") will be published if on-book trading for an instrument is no matching halt during the day. An Instrument Status message, with the appropriate Trading Status (e.g. re-opening auction call) will be published if trading is later resumed.

#### 4.1.4 Re-Opening Auction Call

An Instrument Status message, with a Trading Status "e", will be published if an instrument is moved to the Re-Opening Auction Call during the day. An Instrument Status message, with the appropriate status (e.g. Post-Open) will be published if trading is later resumed.

#### 4.1.5 Instrument Suspension

An instrument may be suspended during or outside trading hours. The Instrument Status message will be published, with a Status of "2", if an instrument is suspended during trading hours.

If, at the start of a trading day, an instrument is still in a suspended state, an Instrument Status message will be published, with a Status of "2". If the suspension is lifted during

the trading day recipients will receive an Instrument Status message, with the current active trading status of the instrument and the order book.

#### 4.1.6 Intra-Day Trading Session Updates

##### 4.1.6.1 Extension of a Pre-Open Session

An Instrument Status message will be broadcast with the value "3" or "4" in the field Session Change Reason to indicate an extension of a Pre-Open session. This message will also include the new time at which the auction will take place.

##### 4.1.6.2 Adjustment by Market Operations

NEO may extend or shorten a particular trading session. In such a case, an Instrument Status message will be broadcast with the value "1" or "2" in the field Session Change Reason. The message will indicate the new time at which the session will end.

#### 4.1.7 New Instruments

New instruments may be created during the trading day. In such a case, the server will publish an Instrument Directory message to notify recipients of the details of the new instrument. Separate Instrument Status messages will also be published to indicate the current trading status of the instrument and the order book.

## 4.2 Full Depth Incremental Service

This is a market data feed that provides the order depth for the entire order book. This includes two types of feeds, one per order, and the other per price point. It provides adequate displayable information (E.g. side, price and displayed quantity) of each active order.

Details of all active orders will be sent at the start of the market open session in which the order book is published. Thereafter, the order book updates will be sent incrementally in real time.

This service also includes Trades, Statistics, Instrument Status, Instrument Reference Data and System Event data for the relevant instruments as detailed below.

In this service, Order book related market data will be disseminated for two visible book types: NEO-L and NEO-N, and this can be differentiated via the field 'Order Book Type' defined in each of these messages. The service for NEO-L will be market by order (MBO) feeds and market data related to the NEO-N will be represented as a market by price

(MBP) feed. For NEO Connect instruments, MBO and MBP services will be not be disseminated.

#### 4.2.1 Order Book Management – MBO

In this service, all order book updates will be published using Add Order Incremental, Delete Order and Modify Order messages.

##### 4.2.1.1 Adding an Order

An Add Order Incremental message will be sent each time a new visible order is added to the order book.

These messages contain a unique identifier (across instruments and days) that can be referenced for all future updates (delete and modify) of the order.

The recipients of this message would be able to identify the type of the order (Market or Limit) from the message explicitly. This would enable clients to identify market orders from limit orders during an Auction.

##### 4.2.1.2 Deleting an Order

A Delete Order message will be sent to notify recipients if a displayed order is fully executed ("filled"), cancelled, or expired. The OrderID will be included in the message to locate and remove the original order from the order book.

##### 4.2.1.3 Modifying an Order

A Modify Order message will be sent if the displayed quantity of an order or its price is changed or if an order loses time priority. The OrderID will be included in the message to locate and update the original order in the book.

##### 4.2.1.4 Executions

A Trade message will be sent whenever an order is executed. Every execution that affects the displayable properties of an order will also result in a Delete message (to remove the respective order from the book if the order is fully executed) and/or a Modify message (to update the displayable properties of the order at multiple executions).

For example, Iceberg order execution with multiple replenishments may result in several Trade messages to report the executions of both the hidden and displayable portions of it, along with Delete and Add Order Incremental messages to reflect the respective displayable changes on the order book.

## 4.2.2 Order Book Management – MBP

In this service, all order book updates will be published using Add Order Incremental MBP, Delete Order MBP and Modify Order MBP messages.

### 4.2.2.1 Adding an Order

An Add Order Incremental MBP message will be sent each time a new visible price point is added to the order book.

### 4.2.2.2 Deleting an Order

A Delete Order MBP message will be sent to notify recipients if a displayed quantity of the specified price point is cancelled, fully executed or expired. Recipients should use the field 'Previous Price' to identify the price point to be removed.

### 4.2.2.3 Modifying an Order

A Modify Order MBP message will be sent if the displayed quantity of a price point or its price is changed. Recipients should use the field 'Previous Price' to identify the price point to be modified. It should be modified with price and quantity values specified in 'New Price' and 'New Quantity' fields respectively.

### 4.2.2.4 Executions

A Trade message will be sent whenever an order is executed. Every execution that affects the displayable properties of an order will also result in a Delete Order MBP message (to remove the respective price point from the book if quantity is fully executed) and/or a Modify Order MBP message (to update the displayable properties of the order at multiple executions).

For example, iceberg order execution with multiple replenishments may result in several Trade messages to report the executions of both the hidden and displayable portions of it, along with Delete Order MBP and Add Order Incremental MBP / Modify Order MBP messages to reflect the respective displayable changes on the order book.

## 4.2.3 Announcement Service

This service redistributes announcements published by the source market via the Announcements (0x75) message on the same channel used for order management.

#### 4.2.4 Indicative Auction Information

The market data feed provides recipients with the indicative price for each auction (i.e. opening, closing, etc.) via the Statistics Update message. The indicative auction price is disseminated along with the imbalance quantity and the side of the imbalance at this price.

A Statistics Update message will be sent with auction information when the indicative auction price is updated or the imbalance quantity and/or side changes.

If an indicative auction price does not exist (i.e. the order book is not locked or crossed) or if there is no imbalance at the indicative price, the Imbalance Direction field of the message will be "O" or "N" respectively.

## 5 Common Data Items

This section describes data items that are disseminated on services identified in the Service Description section.

### 5.1 Trades

All trade related data will be disseminated using the Trade (0x50) message. Recipients will be able to identify Regular, Auction individual and Auction bulk trades separately by referring to the field 'Trade type' specified in the message. The fields 'Cross type' and 'Book type' can be used by the clients to identify Cross trades. Trade cancels (breaks) and Trade corrections (amends) are also disseminated using the Trade (0x50) message. Designated trade types '9' and '11' will be used to indicate a trade break and a correction respectively. These messages will contain an ID (Trade ID) and book type combination that identifies Trade messages reported earlier.

**Note that for the Auction Individual Trade, the volume is reported as Buy Volume and Sell Volume. For the purpose of reporting volume traded in an auction using the Auction Individual Message, the volume should be divided by two.**

Recipients of this message should not update the last sale price for certain trades, such as odd lot trades, SST trades and cross trades with Bypass, Basis, VWAP and Non-NEO cross types. This will be indicated in the 1<sup>st</sup> bit of the flag field specified in the message.

In addition, trades executed against a bypass order will also be indicated from the 2<sup>nd</sup> bit of the flags field. The 3<sup>rd</sup> bit of the flags field will indicate whether the resulting Trade message is due to a manual trade correction.

**Note that the unique identifier for a trade is unique across instruments across days.**

### 5.2 Statistics

A set of statistics will be disseminated via Statistics (0x77) and Statistics Update (0x6a) messages on the real time channel. In addition, Statistics Recovery (0x77) message will

be used for recovery purposes. The different statistics have been grouped into the two real time messages based on their update frequency.

Statistics that are likely to get updated with every trade are included in the Statistics message. All the statistics included in this message will be published as separate fields with every message.

Statistics that are likely to get updated with only some trades have been included in the Statistics Update message. This message contains a STATISTICS TYPE field which can indicate one of many possible statistics and a set of common fields that can contain the relevant values for the said statistics.

Statistics Update message will be used to indicate when the the NAV is updated during the day prior to the PM or AM auction.

Statistics Recovery message contains all the different statistics that can be disseminated via both the real time messages as separate fields. This will be available on the recovery channel only to recover the latest recovery.

### 5.3 Instrument Status

NEO will disseminate data relating the trading status of instruments via the Instrument Status (0x48) message. This will be disseminated whenever an update from a source execution venue is sent to indicate that the trading status of an instrument has changed along with the reason for a session change (if applicable).

This message will also be sent to identify the shortening or extending of a trading session. In such a case, the new end time will be disseminated along with the appropriate reason.

### 5.4 Instrument Reference Data

NEO will use the message Instrument Directory (0x70) to represent all instruments. These messages will contain the instrument reference data and will be available on both real time and in the recovery channel on a request basis.

Instrument Directory messages will be published on the real time channel at the start of the trading day for all the instruments serviced by a particular channel. It will also be disseminated during the trading day if a new instrument is added or if a reference data attribute is updated.

When Instrument Directory messages are disseminated on the real time channel, an Instrument Status message will also be published for each instrument if the status of the instrument is not 'Active'. (The absence of an Instrument Status message implies that the instrument is in an 'Active' state).

## 5.5 System Events

System level data from NEO (such as start of day and end of day) will be redistributed via the System Event (0x53) message.



# 6 Connectivity

## 6.1 Transmission Standards

### 6.1.1 Multicast Channels

The Real time channel utilises UDP over IP version 4 (IPv4) Ethernet standards. UDP header information is as defined in the IETF RFC 791 (IPv4) and RFC 768 (UDP) transmission standards. Each UDP packet will contain just one Unit Header.

### 6.1.2 Unicast Channels

The Replay and Recovery channels utilise TCP over IP version 4 (IPv4) Ethernet standards. TCP header information is as defined in the IETF RFC 793 standard and IPv4 is as defined in the RFC 791 standard.

## 6.2 UserIDs

The UserID of each client wishing to connect to the Replay and Recovery channels must be requested and subsequently provisioned by NEO Exchange Operations before communications can begin. Each UserID will be assigned a password on registration.

A UserID may, at any particular time, only be logged in to one TCP channel.

## 6.3 Production IP Addresses and Ports

The IP addresses and ports of the real time, replay and recovery channels for each market data group are contained within the NEO Exchange Connectivity Guide.

## 6.4 Bandwidth

The recommended bandwidth for the real time, replay and recovery channels are contained within the NEO Exchange Connectivity Guide.

# 7 Recovery

## 7.1 Recipient Failures

Recipients have access to two identically sequenced real time feeds (Feed A and Feed B) from both PDC and SDC. Recipients may process both feeds from a single site and arbitrate between them to minimize the probability of a data loss.

If a gap in sequence numbers is detected on the real time channel, the recipient should assume that some or all of the order books maintained on its systems are incorrect and initiate one of the recovery processes outlined below.

Please note that connecting to replay and recovery channels is restricted via a series of permission codes that are assigned to each UserID.

Client initiated administrative NITCH messages submitted to the replay and recovery channels must contain a NITCH Unit header, as described in section 8.3. The message count and message block length specified in the unit header of a client initiated administrative message must be valid; however, the sequence number and market data group fields will not be interpreted by the system. If the system is unable to process a client initiated administrative message due to a missing or invalid unit header, no data will be returned to the client and the TCP/IP connection will eventually be terminated due to exceeding the configurable idle timeout.

### 7.1.1 Replay Channel

The TCP replay channel should be used by recipients to replay from a small-scale data loss. It permits clients to request the retransmission of a limited number of messages already published on the real time channel. The channel supports the retransmission of the last **<100,000>** messages published on the real time channel.

Each UserID may login to the Replay channel up to **<10>** times each day. The total number of Replay Requests that a client may send for a particular market data group is also limited to **<10>** each day. Recipients may request NEO Exchange Operations to reset its login and request counts. This feature is intended to help manage an emergency situation and should not be relied upon as a normal practice.

If a client submits multiple requests on the Replay channel, they will be processed serially (i.e. one at a time). Active requests of multiple clients will be served on a round

robin basis (time sliced per client). Clients are unable to cancel outstanding Replay Requests.

#### 7.1.1.1 Establishing a Connection

The client should use the relevant IP address and port (as outlined in [Section 6.3](#)) to establish a TCP/IP session with the Replay channel. The client should initiate a session by sending the Login Request message. The client should identify itself by specifying its UserID and the respective password. The server will validate the UserID, Password and IP address of the client. The IP address validation can be configured to ignore, if such validation is not required for certain clients.

Once the client is authenticated, the server will respond with a Login Response message with the Status "A".

The client must wait for the server's Login Response before sending additional messages. Messages received from the client before the exchange of logons will be ignored.

If a logon attempt fails because of an invalid UserID, Password or IP address, the server will send a Login Response where Status = "f" and then break the TCP/IP connection with the client.

If a logon attempt fails because of a locked UserID or if logins are not currently permitted, the server will send a Login Response where Status = "a" and then break the TCP/IP connection with the client.

If a client has already logged into the Replay channel the maximum allowed number of times during the current day, the server will reject any new logon attempt with a Login Response and then break the TCP/IP connection. The Status of such a Login Response message will be "b".

The replay channel supports only a limited number of concurrent logins across all clients. This is limited to **<500>** logins across all clients. Once the number of active logins has reached this limit, the server will reject login requests from additional clients with a Login Response and then break the TCP/IP connection. The Status of such a Login Response message will be "d".

A log on attempt to the replay channel made by an already logged in client or by a client awaiting a Login Response to a prior Login Request will receive a Login Response Message with Status = e [Failed (Other)].

If the system is not ready to provide replay data due to an internal reason, the server will reject login requests via a Login Response with Status = c [Service Unavailable] and then break the TCP/IP connection.

Other messages sent prior to the login being established (i.e. before a replay response accepting the request is sent) will be ignored by the system.

If a Login Request is not received within <5> seconds of the establishment of a TCP/IP connection or a Replay Request is not received within <5> seconds of a successful logon, the server will break the TCP/IP connection with the client.

7.1.1.2 Heartbeats

The server will not send heartbeats on the replay channel during periods of inactivity.

7.1.1.3 Requesting Missed Messages

Once connected to the replay channel, clients may use the Replay Request message to request the retransmission of missed messages. The request should include the sequence number of the first message in the range to be retransmitted along with the number of messages to be retransmitted. The client may also specify a Request ID for each Replay Request. This ID will be echoed back to the client in the Replay Response and Replay and Recovery Complete messages.

7.1.1.4 Response to a Replay Request

The server will respond to the Replay Request with a Replay Response message to indicate whether the retransmission request is successful or not. A Status other than "A" will indicate that the request has been rejected.

The following are the other possible Status values and an explanation of when they will be sent:

Status	Description
O	Request out of range. The retransmission request includes one or more messages that are not in the server's cache. (Requesting for more messages than what's currently available in the cache will also result in this.) Note that the entire request is rejected.
D	The UserID has completed the number of requests allowed for a day.

U	No data in cache.
c	The number of open replay requests from the UserID has reached the maximum allowed number. (The maximum allowed number is set to <10>)
e	The system is unable to service the replay request for any other reason.

In the case of a successful request, the server will retransmit the requested messages immediately after the Replay Response. If a Request ID was specified in the Replay Request message, it will be included in the Replay Response message. The sequence numbers of the retransmitted messages will be the same as when they were first disseminated on the Real time channel. The framing of the replayed messages inside of Unit Headers may differ between the original transmission and the retransmission. Once all the messages have been transmitted, the server will send a Replay and Recovery Complete message that includes the client specified Request ID to indicate that the message replay has successfully completed. The field Trading Status will be empty in this message.

#### 7.1.1.5 Termination of the Connection

After a configurable idle time period following the Replay and Recovery Complete message for the last served Replay Request has been sent the server will break the TCP/IP connection with the client (i.e. there is no requirement for an explicit logout request).

#### 7.1.2 Recovery Channel

The TCP Recovery channel should be used by recipients to recover from a large-scale data loss (i.e. late joiner or major outage). It permits clients to recover the following types of data:

1. Order book recoveries
2. All trades reported within the trading date
3. Recovery of statistics
4. Current instrument status
5. Full set of instrument reference data

## 6. All announcements published within the trading day

Each UserID may login to the Recovery channel a limited number of times each day. The total number of Recovery Request messages that a client may submit for a particular market data group is also limited for a given day. Recipients may request NEO Exchange Operations to reset its login and request counts. This feature is intended to help manage an emergency situation and should not be relied upon as a normal practice.

If a client submits multiple requests on the recovery channel, they will be processed serially (i.e. one at a time). Active requests of multiple clients will be served on a round robin basis. Clients are unable to cancel outstanding Recovery Requests.

### 7.1.2.1 Establishing a Connection

The client should use the relevant IP address and port (as outlined in [Section 6.3](#)) to establish a TCP/IP session with the Recovery channel. The client should initiate a session by sending the Login Request message. The client should identify itself by specifying its UserID in the Username field and the Password. The server will validate the UserID, Password and IP address of the client.

Once the client is authenticated, the server will respond with a Login Response message with the Status "A".

The client must wait for the server's Login Response before sending additional messages. Messages received from the client before the exchange of logons will be ignored.

If a logon attempt fails because of an invalid UserID, Password or IP address, the server will send a Login Response where Status = "f" and then break the TCP/IP connection with the client.

If a logon attempt fails because of a locked UserID or if logins are not currently permitted, the server will send a Login Response where Status = "a" and then break the TCP/IP connection with the client.

If a client has already logged into the Recovery channel the maximum allowed number of times during the current day, the server will reject any new logon attempt with a Login Response and then break the TCP/IP connection. The Status of such a Login Response message will be "b".

The Recovery channel supports only a limited number of concurrent logins across all clients. This is limited to **<500>** logins across all clients. Once the number of active

logins has reached this limit, the server will reject login requests from additional clients with a Login Response and then break the TCP/IP connection. The Status of such a Login Response message will be "d".

A log on attempt to the Recovery channel made by an already logged in client or by a client awaiting a Login Response to a prior Login Request will receive a Login Response Message with Status = e [Failed (Other)].

If the system is not ready to provide recovery data due to an internal reason, the server will reject login requests via a Login Response with Status = c [Service Unavailable] and then break the TCP/IP connection.

Other messages sent prior to the login being established (i.e. before a Recovery Response accepting the request is sent) will be ignored by the system.

If a Login Request is not received within <5> seconds of the establishment of a TCP/IP connection or a Recovery Request is not received within <5> seconds of a successful logon, the server will break the TCP/IP connection with the client.

#### 7.1.2.2 Heartbeats

The server will not send heartbeats on the recovery channel during periods of inactivity.

#### 7.1.2.3 Requesting Recovery Data

Once connected to the recovery channel, clients may use the Recovery Request message to receive the desired set of data by specifying a combination of Recovery Type, Request Level (refer section below for details), Order Book Type and Source venue. The client may specify a Request ID for each Recovery Request message. This will be echoed back in the Recovery Response and Replay and Recovery Complete messages.

#### 7.1.2.4 Recovery Levels

When making recovery requests, the clients can specify a level which determines the data set that is returned. The different levels that can be specified are:

- **Instrument:** With this, a valid Symbol has to be specified. If not, the request will be rejected with status 'a'. Only the data related to the specified Symbol will be sent.

- **Group (Segment):** With this, a valid Venue Group ID (segments: e.g. TSX, TSXV, etc.) and a source venue has to be specified. If not specified or if no such Venue Group ID is valid for the specified source market, the request will be rejected with status 'a'. Data related to all instruments assigned to the specified group will be sent.

**Channel:** Data related to all the instruments serviced by the channel will be sent. If a client specifies an Instrument ID and/or Venue Group ID with this level, they will be ignored and the request will be considered as for the entire channel.

#### 7.1.2.5 Response to a Recovery Request

The server will transmit a Recovery Response to indicate whether a Recovery Request is accepted or rejected. A Status other than "A" will indicate that the request is rejected.

The following are the other possible Status values and an explanation of when they will be sent:

Value	Status	Description
0	Out of Range	Request out of range. It's possible to specify a starting sequence number with certain Recovery Types. This status is used if the specified sequence is not available with the recovery service.
a	Group or Symbol Not Specified or Invalid	Symbol not specified for an instrument level request or Venue Group ID not specified for a group level request. Also returned if an invalid Symbol or group ID is specified.
b	Request Limit Reached	The UserID has completed the number of requests allowed for a day.
c	Concurrent Limit Reached	The number of open recovery requests from the UserID has reached the maximum allowed number.
d	Invalid Recovery Type or Request Level	Invalid Recovery Type or Request Level specified.
e	Failed (Other)	The system is unable to service the recovery request for any other reason.

The following sections detail the expected behaviour with successful requests for different Recovery Types.



#### 7.1.2.6 Order Book Recovery – Instrument Level Request

The server will first transmit a Recovery Response message where the status is "A". This will include the message sequence number of the Real time channel with which the instrument's order book recoveries will be synchronised. The response will also include the total number of messages to follow the Recovery Response. The client should buffer all messages on the Real time channel for the instrument with sequence numbers greater than that specified in the Recovery Response.

The Recovery Response will be followed by a series of Add Order Incremental / Add Order Incremental MBP messages to construct the order book recovery. Each order / Price point in the current recovery will be represented by an Add Order Incremental / Add Order Incremental MBP message in this service. The first Add Order Incremental / Add Order Incremental MBP message transmitted by the server will contain the order with the best bid price followed by the full depth of the book for the buy side; after which the server will transmit the order with the best offer price followed by the full depth of the book for the sell side. If the request was for all book types and if there's more than one order book with active orders for the given instrument, recoveries will be provided for all such order books.

The server will transmit a Replay and Recovery Complete message following each recovery for a particular instrument/order book type combination. The message will include the current Trading Status of the instrument/order book type at the relevant market. Once all the recoveries and their complete messages have been sent, an additional request level Replay and Recovery Complete message is sent to indicate the end of service for the particular request. The client may begin processing the buffered messages for the instrument from the Real time channel once this request level Replay and Recovery Complete is received.

The server will not publish a book level Replay and Recovery Complete message for order books that do not have any orders in them. The Recovery Response will be immediately followed by a request level Replay and Recovery Complete message if there are no published orders for any of the order books of the instrument.

Recovery Response message and all Replay and Recovery Complete messages will include the corresponding Request ID if it was specified in the Recovery Request message.

#### 7.1.2.7 Order Book Recovery – Group or Channel Level Request

The server will first transmit a Recovery Response message where the status is "A". This will include the message sequence number of the Real time channel with which the order book recoveries will be synchronized. The response will also include the total number of messages to follow the Recovery Response. The client should buffer all messages on the Real time channel for the instrument with sequence numbers greater than that specified in the Recovery Response.

If the request is successful, the server will then disseminate recoveries of all order books with active orders for all instruments in the requested venue group or for the entire channel. The Recovery Response will be followed by a series of Add Order Incremental / Add Order Incremental MBP messages to construct the order book recovery. Each order / Price point in the current recovery will be represented by an Add Order Incremental message / Add Order Incremental MBP in this service. The first Add Order Incremental / Add Order Incremental MBP message transmitted by the server will contain the order with the best bid price followed by the full depth of the book for the buy side; thereafter the server will transmit the order with the best offer price followed by the full depth of the book for the sell side. Order book recoveries for the requested instruments will be transmitted serially (i.e. one instrument at a time). If an instrument has active orders in more than one order book, recoveries for all the order book types for that instrument will be disseminated before moving on to the next instrument.

The server will transmit a Replay and Recovery Complete message following each recovery for a particular instrument/order book type combination. The message will include the current Trading Status of the instrument/order book type at the market. Once all the recoveries and their complete messages have been sent, a request level Replay and Recovery Complete message is sent to indicate the end of service for the particular request. The client may begin processing the buffered messages for the instrument from the Real time channel once this request level Replay and Recovery Complete is received.

The server will not publish a book level Replay and Recovery Complete message for order books that do not have any orders in them.

The Recovery Response will be immediately followed by a request level Replay and Recovery Complete message if there are no published orders for any of the order books for any of the instruments.

Recovery Response message and all Replay and Recovery Complete messages will include the corresponding Request ID if it was specified in the Recovery Request message.

#### 7.1.2.8 Instrument Directory Recovery

The server will first transmit a Recovery Response message where the status is "A". The Sequence Number will be 0 and the Count field will include the total number of messages to follow the Recovery Response.

The server will then disseminate either one or a series of Instrument Directory messages depending on the Request Level specified. When responding to Group or Channel level requests, messages will be sent for all instruments disseminated in the real time channel as long as they belong to the group or are assigned to the channel.

The server will transmit a Replay and Recovery Complete message after all the Instrument Directory messages have been disseminated. The Trading Status will not be set in the Recovery Complete message. The Recovery Response will be immediately followed by a request level Replay and Recovery Complete message if the Request Level is 'Group' or 'Channel' and there are no instruments in the group or no instruments are assigned to the channel.

Both Recovery Response and Replay and Recovery Complete messages will include the corresponding Request ID if it was specified in the Recovery Request message.

#### 7.1.2.9 Trades Recovery

The server will first transmit a Recovery Response message where the status is "A". The message will contain the (real time channel's) current sequence number. The Count field will include the total number of messages to follow the Recovery Response.

If the Recovery Request message specified a sequence number, only the trades carrying equal or higher real time channel sequence numbers will be sent in response. It is not possible to filter the recovery response based on the trade message type. Trade messages that represent trade breaks will also be included. The messages will be sent in the same sequence as they were sent on the real time channel.

The server will transmit a request level Replay and Recovery Complete message after all the Trade messages have been disseminated. The Trading Status will not be set in the Recovery Complete message. The Recovery Response will be immediately followed

by the Replay and Recovery Complete message if there are no Trade messages that fit the Recovery Request's specifications.

Both Recovery Response and Replay and Recovery Complete messages will include the corresponding Request ID if it was specified in the Recovery Request message.

#### 7.1.2.10 Statistics Recovery

The server will first transmit a Recovery Response message where the status is "A". The message will contain the sequence number of the message (of any type) that was last sent before the Recovery Request was accepted. The Count field will include the total number of messages to follow the Recovery Response. The client should ideally buffer all messages on the Real time channel for the instrument with sequence numbers greater than that specified in the Recovery Response.

The server will then disseminate either one or a series of Statistics Recovery messages depending on the Request Level specified. This message will contain the current value of all the statistics supported by NEO for each instrument.

The server will transmit a request level Replay and Recovery Complete message after all the Statistics Recovery messages have been disseminated. The Trading Status will not be set in the Recovery Complete message. The Recovery Response will be immediately followed by the Replay and Recovery Complete message if there are no statistics messages that fit the Recovery Request's specifications.

#### 7.1.2.11 Announcements Recovery

The server will first transmit a Recovery Response message where the status is "A". The message will contain the (real time channel's) sequence number of the last announcement to be sent. The Count field will include the total number of messages to follow the Recovery Response.

If the Recovery Request message specified a sequence number, only the Announcement messages carrying equal or higher real time channel sequence numbers will be sent in response. Request Level 'Channel' is implied. The messages will be sent in the same sequence as they were sent on the real time channel.

The server will transmit a request level Replay and Recovery Complete message after all the announcement messages have been disseminated. The Trading Status will not be set in this. The Recovery Response will be immediately followed by the Replay and

Recovery Complete message if there are no announcement messages that fit the Recovery Request's specifications.

Both Recovery Response and Replay and Recovery Complete messages will include the corresponding Request ID if it was specified in the Recovery Request message.

#### 7.1.2.12 Instrument Status Recovery

The server will first transmit a Recovery Response message where the status is "A". The message will contain the sequence number of the message (of any type) that was last sent before the Recovery Request was accepted. The Count field will include the total number of messages to follow the Recovery Response. The client should ideally buffer all messages on the Real time channel for the instrument with sequence numbers greater than that specified in the Recovery Response.

The server will then disseminate either one or a series of Instrument Status messages depending on the Request Level specified. Each message will contain the values contained in the last Instrument Status message sent for the corresponding instrument on the real time channel.

The server will transmit a request level Replay and Recovery Complete message after all the Instrument Status messages have been disseminated. The Trading Status will not be set in the Recovery Complete message. The Recovery Response will be immediately followed by the Replay and Recovery Complete message if there are no Instrument Status messages that fit the Recovery Request's specifications.

#### 7.1.2.13 Termination of the Connection

After a configurable idle time period following the Replay and Recovery Complete message for the last served Recovery Request has been sent, the server will break the TCP/IP connection with the client. I.e. there is no requirement for an explicit logout request.

## 7.2 Failures of NEO Exchange NITCH Feed

### 7.2.1 Recoveries on the Real time channel

In the unlikely event of an outage on the NEO Exchange NITCH Feed, recipients may be required to refresh their order book and statistics displays for one or more instruments.

In such a scenario the server will, on the Real time channel, broadcast the current order book and the latest statistics for each affected instrument. In such an event recipients must discard the contents of their order book and statistics displays for these instruments.

The server will continue with real time message publishing once it is ready to disseminate again.

### 7.2.2 Resetting Sequence Numbers

If the market data feed is, in the unlikely event of an outage, failed over to the backup site or is restarted, the message sequence numbers (line level and instrument level) of the Real time channel will be reset to 1 and the Market Data Group value will change. In such a case, messages sent on the Real time channel prior to the resetting of sequence numbers will not be available for retransmission on the Replay channel.

## 8 Message Formats

This section provides details on the data types, unit header, administrative messages and application messages utilised by the server. For each message, a description of each field is provided along with the applicable data type, offset and length (in bytes).

### 8.1 Data Types

The fields of the messages utilised by the server will support the data types outlined below:

Data Type	Length	Default	Description
Alpha	Variable	Spaces	These fields use standard ASCII character bytes. They are left justified and padded on the right with spaces.
Bit Field	1	0	A single byte used to hold up to eight 1-bit flags. Each bit will represent a Boolean flag. The 0 bit is the lowest significant bit and the 7 bit is the highest significant bit.
Byte	1	0	A single byte used to hold one ASCII character.
Date	8	Spaces	Date specified in the YYYYMMDD format using ASCII characters.
Time	6	Spaces	Time specified in HHMMSS format using ASCII characters in a 24 hour clock format.
UDT (Unix Date Time)	8	0	64bit unsigned integer where;  time stamp (in UTC) = (date time per second resolution in Unix time format) * 1,000,000,000 + (nanoseconds component)
Price	8	0	Signed Little-Endian encoded 64bit integer field with eight implied decimal places. Please refer to the Appendix for instructions on handling negative values.
Size	8	0	Little-Endian encoded 64 bit unsigned integer with 8 implied decimal places.

UInt8	1	0	8 bit unsigned integer.
UInt16	2	0	Little-Endian encoded 16 bit unsigned integer.
UInt32	4	0	Little-Endian encoded 32 bit unsigned integer.
UInt64	8	0	Little-Endian encoded 64 bit unsigned integer.
Price4	8	0	Signed Little-Endian encoded 64bit integer field with 4 implied decimal places. Handling negative values will be similar to that of Price.
Size4	8	0	Little-Endian encoded 64 bit unsigned integer with 4 implied decimal places.

Please note that in certain field descriptions the document describes the field as blank in certain circumstances. Blank refers to 'space filled' for data types Alpha; whereas it means '0' (zero) for data types Byte, Price, Size, UInt8, UInt16, UInt32 and UInt64.

## 8.2 Message Overview

### 8.2.1 Administrative Messages

<b>Name</b>	<b>Message Type ASCII</b>	<b>Hex</b>	<b>Usage</b>
Heartbeat	-	-	Used by the server, on the Real time channel, to exercise the communication line during periods of inactivity.
Login Request	(soh)	0x01	Used by the client to login to the Replay or Recovery channel.
Login Response	(stx)	0x02	Used by the server to accept or reject a login request to the Replay or Recovery channel.



Replay Request	(etx)	0x03	Used by the client to request a retransmission of messages on the Replay channel.
Replay Response	(eot)	0x04	Used by the server to respond to a retransmission request on the Replay channel.
Recovery Request	□	0x81	Used by the client to request for a recovery of the current order book on the Recovery channel.
Recovery Response	,	0x82	Used by the server to respond to a recovery request on the Recovery channel.
Replay and Recovery Complete	f	0x83	Used by the server to indicate the successful completion of servicing a message replay or a recovery request.

## 8.2.2 Application Messages

Applications messages may only be sent by the server.

Name	Message Type ASCII	Hex	Usage
System Event	S	0x53	Sent to indicate the start and end of the day.
Instrument Directory	p	0x70	Used to disseminate data of instruments on the real time channels.
Instrument Status	H	0x48	Indicates the current trading status of an instrument. Also used to communicate unscheduled session changes.
Add Order Incremental	F	0x46	Sent to instruct the recipients to add a new order to the respective displayable book in the MBO service.
Delete Order	D	0x44	Sent to instruct recipients to remove an order from the book in the MBO service.

Modify Order	U	0x55	Sent to instruct recipients to update price and/or size of an order in the book in the MBO service.
Add Order Incremental MBP	Q	0x51	Sent to instruct the recipients to add a new price point to the respective displayable book in the MBP service.
Delete Order MBP	T	0x54	Sent to instruct recipients to remove an existing price point from the book in the MBP service.
Modify Order MBP	V	0x56	Sent to instruct recipients to update price and/or size of an existing price point in the book in the MBP service.
Order Book Clear	y	0x79	Sent to instruct recipients to remove all orders from the order book for the specified instrument.
Trade	P	0x50	Sent to represent different types of trades published by markets.
Statistics	w	0x77	Contains a set of statistics that are updated frequently
Statistics Update	j	0x6a	A type-value message that contains a set of statistics that are not updated frequently.
Statistics Recovery	k	0x6b	A recovery of all statistics that is used for recovery
Announcements	u	0x75	Used to disseminate announcements

### 8.2.3 Intelligent Throttling

The system, in order to increase efficiency, will pack multiple messages in a single UDP packet whenever possible. However, this will not apply to messages deemed latency sensitive. These messages will be packed one per UDP packet and be disseminated as and when generated. The following are the messages that are identified as latency sensitive:

- System Event
- Instrument Status
- Trade
- Statistics
- Statistic Update
- Announcements
- Add Order Incremental
- Delete Order
- Modify Order
- Add Order Incremental MBP
- Delete Order MBP
- Modify Order MBP

This functionality will be controlled at gateway level via a configuration where it is possible to enable Intelligent Throttling or to pack all messages in to common packets to optimize bandwidth utilization.

### 8.3 Unit Header

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of the message block including the header and all payload messages.
Message Count	2	1	UInt8	Number of payload messages that will follow the header.
Market Data Group	3	1	Byte	Identity of the market data group the payload messages relate to.

Sequence Number	4	4	UInt32	Sequence number of the first payload message.
Payload	8	Variable	-	One or more payload messages.

## 8.4 Administrative Messages (Client – Initiated)

### 8.4.1 Login Request

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x01</td> <td>Login Request</td> </tr> </tbody> </table>	Hex	Meaning	0x01	Login Request
Hex	Meaning							
0x01	Login Request							
Username	3	8	Alpha	UserID assigned to the client.				
Password	11	10	Alpha	Password assigned to the UserID. Maximum password length is 10 characters.				

### 8.4.2 Replay Request

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x03</td> <td>Replay Request</td> </tr> </tbody> </table>	Hex	Meaning	0x03	Replay Request
Hex	Meaning							
0x03	Replay Request							
First Message	3	4	UInt32	Sequence number of the first message in range to be retransmitted.				
Count	7	4	UInt32	Number of messages to be resent.				

Request ID	11	4	UInt32	The value set in this will be echoed back in the corresponding Replay Response. The system will not validate uniqueness of the set value.
------------	----	---	--------	---

### 8.4.3 Recovery Request

Field	Offset	Length	Type	Description								
Length	0	2	UInt16	Length of message including this field.								
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x81</td> <td>Recovery Request</td> </tr> </tbody> </table>	Hex	Meaning	0x81	Recovery Request				
Hex	Meaning											
0x81	Recovery Request											
Request Level	3	1	UInt8	<p>Defines the level of the request.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Instrument</td> </tr> <tr> <td>1</td> <td>Group (Segment)</td> </tr> <tr> <td>2</td> <td>Channel</td> </tr> </tbody> </table>	Value	Meaning	0	Instrument	1	Group (Segment)	2	Channel
Value	Meaning											
0	Instrument											
1	Group (Segment)											
2	Channel											
Symbol	4	14	Alpha	Symbol of the instrument if Request Level is 0. Blank if not.								
Venue Group ID	18	6	Alpha	Group/segment ID if Request Level is 1. Blank if not.								
Order Book Type	24	1	UInt8	Only considered if the Request Level is 0. If specified, only data related to the specified order book type is provided, If not, data for all available book types for the instrument is provided.								

				Please refer to the Additional Field Values section of this document for valid values.														
Source Venue	25	2	UInt16	Mandatory field if Request Level is 1. Not considered for other Request Levels.														
Recovery Type	27	1	UInt8	The type of messages to be replayed.  <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Instrument Directory</td> </tr> <tr> <td>1</td> <td>Order book</td> </tr> <tr> <td>2</td> <td>All Trades</td> </tr> <tr> <td>3</td> <td>Statistics</td> </tr> <tr> <td>4</td> <td>Instrument Status</td> </tr> <tr> <td>5</td> <td>Announcements</td> </tr> </tbody> </table>	Value	Meaning	0	Instrument Directory	1	Order book	2	All Trades	3	Statistics	4	Instrument Status	5	Announcements
Value	Meaning																	
0	Instrument Directory																	
1	Order book																	
2	All Trades																	
3	Statistics																	
4	Instrument Status																	
5	Announcements																	
Sequence Number	28	4	UInt32	Only valid if Recovery Type = 2 (Trades) or 5 (Announcements). If specified, the trades or announcements reported with an equal or higher sequence will be sent.														
Request ID	32	4	UInt32	The value set in this will be echoed back in the corresponding Recovery Response and Recovery Complete message. The system will not validate uniqueness of the set value.														

## 8.5 Administrative Messages (Server – Initiated)

### 8.5.1 Heartbeat

A Unit Header with a Message Count of zero will be used by the server as a Heartbeat message. Such a message will never increment the sequence number of the Real time channel. However, the next expected sequence number will be included in the Sequence Number to enable recipients to detect gaps on the Real time channel.

### 8.5.2 Login Response

Field	Offset	Length	Type	Description																
Length	0	2	UInt16	Length of message including this field.																
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x02</td> <td>Login Response</td> </tr> </tbody> </table>	Hex	Meaning	0x02	Login Response												
Hex	Meaning																			
0x02	Login Response																			
Status	3	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Login Accepted</td> </tr> <tr> <td>a</td> <td>UserID Inactive/Locked</td> </tr> <tr> <td>b</td> <td>Login Limit Reached</td> </tr> <tr> <td>c</td> <td>Service Unavailable</td> </tr> <tr> <td>d</td> <td>Maximum Connections Limit Reached</td> </tr> <tr> <td>f</td> <td>Invalid UserID, Password or IP Address</td> </tr> <tr> <td>e</td> <td>Failed (Other)</td> </tr> </tbody> </table>	Value	Meaning	A	Login Accepted	a	UserID Inactive/Locked	b	Login Limit Reached	c	Service Unavailable	d	Maximum Connections Limit Reached	f	Invalid UserID, Password or IP Address	e	Failed (Other)
Value	Meaning																			
A	Login Accepted																			
a	UserID Inactive/Locked																			
b	Login Limit Reached																			
c	Service Unavailable																			
d	Maximum Connections Limit Reached																			
f	Invalid UserID, Password or IP Address																			
e	Failed (Other)																			

### 8.5.3 Replay Response

Field	Offset	Length	Type	Description														
Length	0	2	UInt16	Length of message including this field.														
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x04</td> <td>Replay Response</td> </tr> </tbody> </table>	Hex	Meaning	0x04	Replay Response										
Hex	Meaning																	
0x04	Replay Response																	
First Message	3	4	UInt32	Sequence number of the first message in range to be retransmitted. This will be zero if Status is not "A".														
Count	7	4	UInt32	Number of messages to be resent. This will be zero if Status is not "A".														
Status	11	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Request Accepted</td> </tr> <tr> <td>D</td> <td>Request Limit Reached</td> </tr> <tr> <td>O</td> <td>Out of Range</td> </tr> <tr> <td>U</td> <td>Replay Unavailable</td> </tr> <tr> <td>c</td> <td>Concurrent Limit Reached</td> </tr> <tr> <td>e</td> <td>Failed (Other)</td> </tr> </tbody> </table>	Value	Meaning	A	Request Accepted	D	Request Limit Reached	O	Out of Range	U	Replay Unavailable	c	Concurrent Limit Reached	e	Failed (Other)
Value	Meaning																	
A	Request Accepted																	
D	Request Limit Reached																	
O	Out of Range																	
U	Replay Unavailable																	
c	Concurrent Limit Reached																	
e	Failed (Other)																	
Request ID	12	4	UInt32	Will include the value set as Request ID in the Replay Request message.														

### 8.5.4 Recovery Response

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of message including this field.



Message Type	2	1	Byte	<b>Hex Meaning</b> <hr/> 0x82 Recovery Response
Sequence Number	3	4	UInt32	Sequence number on the real time channel with which the recovery or recovery is synchronized when Recovery Type = 1,2, 3, 4 and 5. This will be zero for other Recovery Types or if Status is not "A".
Count	7	4	UInt32	Number of messages to follow. This will be zero if Status is not "A".
Status	11	1	Byte	<b>Value Meaning</b> <hr/> A Request Accepted <hr/> O Out of Range <hr/> a Group or Symbol Not Specified or Invalid <hr/> b Request Limit Reached <hr/> c Concurrent Limit Reached <hr/> d Invalid Recovery Type or Request Level <hr/> e Failed (Other)
Request ID	12	4	UInt32	Will include the value set as Request ID in the Recovery Request message.

## 8.5.5 Replay and Recovery Complete

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x83</td> <td>Replay and Recovery Complete</td> </tr> </tbody> </table>	Hex	Meaning	0x83	Replay and Recovery Complete
Hex	Meaning							
0x83	Replay and Recovery Complete							
Request ID	3	4	UInt32	Will include the value set as Request ID in the Recovery Request message.				
Trading Status	7	1	Byte	<p>Current Trading status of the Instrument. Populated only when the message is sent at the end of individual order book recoveries.</p> <p>Please refer to the Additional Field Values section of this document for valid values.</p>				

## 8.6 Application Messages

### 8.6.1 System Event

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x53</td> <td>System Event</td> </tr> </tbody> </table>	Hex	Meaning	0x53	System Event
Hex	Meaning							
0x53	System Event							
Timestamp	3	8	UDT	Time the message was generated.				

Event Code	11	1	Byte	<b>Value</b>	<b>Meaning</b>
				C	End of Day
				O	Start of Day
Source Venue	12	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.	

### 8.6.2 Instrument Directory

Field	Offset	Length	Type	Description	
Length	0	2	UInt16	Length of message including this field.	
Message Type	2	1	Byte	<b>Hex</b>	<b>Meaning</b>
				0x70	Instrument Directory
Timestamp	3	8	UDT	Time the message was generated.	
Symbol	11	14	Alpha	Symbol of the instrument.	
CUSIP	25	9	Alpha	CUSIP code of the instrument.	
Allowed Book Types	34	1	Bit Field	Defines the order book types that are allowed for the instrument. Each designated bit represents a book type. 0 means not allowed and 1 means allowed.	

				<p><b>Bit Name</b></p> <hr/> <p>0 Reserved</p> <hr/> <p>3 NEO-L</p> <hr/> <p>4 NEO-N</p> <hr/> <p>5 NEO-D</p> <hr/> <p>6 Cross</p> <hr/> <p>7 SST</p>																		
Source Venue	35	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.																		
Segment	37	6	Alpha	<p>Segment the instrument is assigned to.</p> <p><b>Value Meaning</b></p> <hr/> <table> <tr> <td>NEO</td> <td>NEO securities</td> <td>Listed</td> </tr> </table> <hr/> <table> <tr> <td>TSX</td> <td>TSX securities</td> <td>Listed</td> </tr> </table> <hr/> <table> <tr> <td>TSXV</td> <td>TSXV securities</td> <td>Listed</td> </tr> </table> <hr/> <table> <tr> <td>CSE</td> <td>CSE securities</td> <td>Listed</td> </tr> </table> <hr/> <table> <tr> <td>NEOC</td> <td>NEO securities</td> <td>Connect</td> </tr> </table> <hr/> <table> <tr> <td>FOTS</td> <td>Foreign Traded Securities</td> <td>Other</td> </tr> </table>	NEO	NEO securities	Listed	TSX	TSX securities	Listed	TSXV	TSXV securities	Listed	CSE	CSE securities	Listed	NEOC	NEO securities	Connect	FOTS	Foreign Traded Securities	Other
NEO	NEO securities	Listed																				
TSX	TSX securities	Listed																				
TSXV	TSXV securities	Listed																				
CSE	CSE securities	Listed																				
NEOC	NEO securities	Connect																				
FOTS	Foreign Traded Securities	Other																				
Currency	43	3	Alpha	The possible values will be the ISO 4217 codes for currency.																		

Lot Size	46	8	Size	Indicates the minimum quantity/nominal value tradable on the market for a security.												
Full Name	54	120	Alpha	The unique long name assigned to the instrument.												
Active Market Maker	174	11	Alpha	The active market maker who will be carrying our market maker obligations for the instrument.												
Liquidity Tier	185	12	Alpha	The market tier to which the instrument is assigned.												
Market Maker NEO-L Size Requirement	197	8	Size	The market maker size requirement for NEO-L.												
Market Maker NEO-N Size Requirement	205	8	Size	The market maker size requirement for NEO-N.												
Security Type	213	1	UInt8	<p>The security type of the instrument.</p> <table border="1"> <thead> <tr> <th colspan="2">Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Equity</td> <td></td> </tr> <tr> <td>2</td> <td>Debt</td> <td></td> </tr> <tr> <td>52</td> <td>Platform Traded Funds (PTF)</td> <td></td> </tr> </tbody> </table>	Value		Meaning	1	Equity		2	Debt		52	Platform Traded Funds (PTF)	
Value		Meaning														
1	Equity															
2	Debt															
52	Platform Traded Funds (PTF)															
Security Subtype	214	1	UInt8	Security sub type of the instrument.												

				<b>Value</b>	<b>Meaning</b>
				0	Value Not Set
				52	Common Shares
				53	Preferred Shares
				54	Corporate Bonds and Debentures
				55	Exchange Traded Funds
				56	Rights
				57	Warrants
				58	Units (Trust)
				59	Index Linked Notes / ETNs
				60	Installment Receipts
				61	Convertible Bonds and Warrants
				62	When Issued & When Distributed
				63	Shares of Beneficial Interest (SBI)
				64	Uncapped Capital Protection
				65	Exchangeable Certificates
				66	Capped Capital Protection

				67	Capital Protection w/ Knock-Out
				68	Capital Protection w/ Coupon
				69	Discount Certificates
				70	Barrier Discount Certificates
				71	Reverse Convertibles
				72	Barrier Reverse Convertibles
				73	Capped Outperformance Certificates
				74	Capped Bonus Certificates
				75	Express Certificates
				76	Tracker Certificates
				77	Outperformance Certificates
				78	Bonus Certificates
				79	Outperformance Bonus Certificates
				80	Twin-Win Certificates
				81	Structured Products

				82 Depository Receipts
				83 Notes
Odd Lot Allowed	215	1	UInt8	<b>Value Meaning</b>
				0 Not allowed
				1 Allowed
NEO-L Previous Close	216	8	Price	The previous day's closing price of NEO-L.
NEO-N Previous Close	224	8	Price	The previous day's closing price of NEO-N.

### 8.6.3 Instrument Status

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of message including this field.
Message Type	2	1	Byte	<b>Hex Meaning</b>
				0x48 Instrument Status
Timestamp	3	8	UDT	Time the message was generated.
Symbol	11	14	Alpha	Symbol of the instrument.
Source venue	25	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.
Trading Status	27	1	Byte	Please refer to the Additional Field Values section of this document for valid values.



Session Change Reason	28	1	UInt8	<b>Value</b>	<b>Meaning</b>
				0	Scheduled Transition
				1	Extended Market Ops by
				2	Shortened Market Ops by
				3	Market Imbalance Order
				4	Price Range Outside
				5	Circuit Tripped Breaker
				9	Unavailable
				50	SSCB
				51	SSCB Extended
52	Market Maker Delayed Opening / Re-Opening				
53	Auction Execution				
New End Time	29	6	Time	New time the session will end. The field will contain only spaces if Session Change Reason is "0" or "9". New End Time will be in terms of the local market time (i.e. not UTC).	
Order Book Type	35	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.	

## 8.6.4 Add Order Incremental

Field	Offset	Length	Type	Description						
Length	0	2	UInt16	Length of message including this field.						
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x46</td> <td>Add Order Incremental</td> </tr> </tbody> </table>	Hex	Meaning	0x46	Add Order Incremental		
Hex	Meaning									
0x46	Add Order Incremental									
Timestamp	3	8	UDT	Time the message was generated.						
Order ID	11	8	UInt64	Unique identifier of the order. Base 62 Encoded string for source venue AEQ converted to the Type specified.						
Side	19	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>Buy Order</td> </tr> <tr> <td>S</td> <td>Sell Order</td> </tr> </tbody> </table>	Value	Meaning	B	Buy Order	S	Sell Order
Value	Meaning									
B	Buy Order									
S	Sell Order									
Size	20	8	Size	Displayed Size of the order.						
Symbol	28	14	Alpha	Symbol of the instrument.						
Price	42	8	Price	Limit price of the order.						
Source venue	50	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.						
Order Book Type	52	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.						
Broker	53	3	Alpha	Identity of trading participant that submitted the order.						

Order Type	56	1	UInt8	<b>Value</b> <b>Meaning</b>
				3      Limit
				4      Market
Settlement Type	57	1	UInt8	Settlement terms of the order if non-standard. If standard, this field will be null.
				<b>Value</b> <b>Meaning</b>
				1      Cash
				2      Next Day
				6      Future
11     Non-Net				
Settlement Date	58	8	Date	The date the order would settle.

#### 8.6.5 Add Order Incremental MBP

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of message including this field.
Message Type	2	1	Byte	<b>Hex</b> <b>Meaning</b>
				0x51    Add            Order Incremental MBP
Timestamp	3	8	UDT	Time the message was generated.
Side	11	1	Byte	<b>Value</b> <b>Meaning</b>
				B      Buy Order
				S      Sell Order
Size	12	8	Size	Displayed Size of a price point.

Symbol	20	14	Alpha	Symbol of the instrument.
Price	34	8	Price	Value of the price point.
Source venue	42	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.
Order Book Type	44	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.

### 8.6.6 Delete Order

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x44</td> <td>Delete Order</td> </tr> </tbody> </table>	Hex	Meaning	0x44	Delete Order
Hex	Meaning							
0x44	Delete Order							
Timestamp	3	8	UDT	Time the message was generated.				
Order ID	11	8	UInt64	Unique identifier of the order. Base 62 Encoded string for source venue AEQ converted to the Type specified.				
Symbol	19	14	Alpha	Symbol of the instrument.				
Order Book Type	33	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.				
Source venue	34	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.				

### 8.6.7 Delete Order MBP

Field	Offset	Length	Type	Description						
Length	0	2	UInt16	Length of message including this field.						
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x54</td> <td>Delete Order</td> </tr> </tbody> </table>	Hex	Meaning	0x54	Delete Order		
Hex	Meaning									
0x54	Delete Order									
Timestamp	3	8	UDT	Time the message was generated.						
Symbol	11	14	Alpha	Symbol of the instrument.						
Side	25	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>Buy</td> </tr> <tr> <td>S</td> <td>Sell</td> </tr> </tbody> </table>	Value	Meaning	B	Buy	S	Sell
Value	Meaning									
B	Buy									
S	Sell									
Order Book Type	26	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.						
Source venue	27	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.						
Previous Price	29	8	Price	Price point that was deleted from the book.						

### 8.6.8 Modify Order

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x55</td> <td>Modify Order</td> </tr> </tbody> </table>	Hex	Meaning	0x55	Modify Order
Hex	Meaning							
0x55	Modify Order							

Timestamp	3	8	UDT	Time the message was generated		
Order ID	11	8	UInt64	Unique identifier of the order. Base 62 Encoded string for source venue AEQ converted to the Type specified.		
Symbol	19	14	Alpha	Symbol of the instrument.		
Flags	33	1	Bit Field			
				<b>Bit</b>	<b>Name</b>	<b>Meaning</b>
				0	Priority Flag	0: Priority Lost 1: Priority Retained
New Quantity	34	8	Size	New displayed quantity of the order.		
New Price	42	8	Price	New price of the order.		
Order Book Type	50	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.		
Source venue	51	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.		
Settlement Type	53	1	UInt8	Settlement terms of the order if non-standard. If standard, this field will be null.		

				<b>Value</b> <b>Meaning</b> <hr/> 1      Cash <hr/> 2      Next Day <hr/> 6      Future <hr/> 11     Non-Net
Settlement Date	54	8	Date	The date the order would settle.
Broker	62	3	Alpha	Identity of trading participant that submitted the order.

### 8.6.9      Modify Order MBP

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of message including this field.
Message Type	2	1	Byte	<b>Hex</b> <b>Meaning</b> <hr/> 0x56    Modify Order MBP
Timestamp	3	8	UDT	Time the message was generated.
Symbol	11	14	Alpha	Symbol of the instrument.
Side	25	1	Byte	<b>Value</b> <b>Meaning</b> <hr/> B      Buy <hr/> S      Sell
Order Book Type	26	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.
Source venue	27	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.

New Quantity	29	8	Size	New displayed quantity of the order.
New Price	37	8	Price	New price point after the modification.
Previous Price	45	8	Price	Previous price point before the modification.

#### 8.6.10 Order Book Clear

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x79</td> <td>Order Book Clear</td> </tr> </tbody> </table>	Hex	Meaning	0x79	Order Book Clear
Hex	Meaning							
0x79	Order Book Clear							
Timestamp	3	8	UDT	Time the message was generated.				
Symbol	11	14	Alpha	Symbol of the instrument.				
Order Book Type	25	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.				
Source venue	26	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.				

#### 8.6.11 Trade

Field	Offset	Length	Type	Description
Length	0	2	UInt16	Length of message including this field.



Message Type	2	1	Byte	<b>Hex</b> <b>Meaning</b> <hr/> 0x50   Trade
Timestamp	3	8	UDT	Message dissemination time.
Source venue	11	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.
Executed Size	13	8	Size	Size executed.
Symbol	21	14	Alpha	Symbol of the instrument.
Price	35	8	Price	Executed price.
Trade ID	43	8	UInt64	Unique identifier of the trade. Base 36 or 62 encoded as per venue format.
Trade Type	51	1	UInt8	<b>Value</b> <b>Meaning</b> <hr/> 0   Post-Open Trade <hr/> 1   Auction Trade – Bulk <hr/> 2   Auction Trade – Individual <hr/> 9   Trade Cancellation <hr/> 11   Trade Correction
Auction Type	52	1	Byte	The value in this field is only relevant when Trade Type is 1.  <b>Value</b> <b>Meaning</b> <hr/> C   Closing Auction <hr/> O   Opening Auction <hr/> A   Re-opening
Buy Attribution	53	3	Alpha	Broker ID of the buyer of the trade.

Sell Attribution	56	3	Alpha	Broker ID of the seller of the trade.																				
Order Book Type	59	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.																				
Cross Type	60	1	UInt8	<p>The type of the Cross/BTF Order.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>Internal Cross</td> </tr> <tr> <td>11</td> <td>Basis Cross</td> </tr> <tr> <td>12</td> <td>Contingent Cross</td> </tr> <tr> <td>14</td> <td>VWAP Cross</td> </tr> <tr> <td>15</td> <td>National Cross</td> </tr> <tr> <td>16</td> <td>Bypass Cross</td> </tr> <tr> <td>17</td> <td>Non-NEO Cross</td> </tr> <tr> <td>18</td> <td>Derivative Cross</td> </tr> <tr> <td>19</td> <td>Closing Price Publication</td> </tr> </tbody> </table> <p><i>Note: When the Cross Type is set to 19 (Closing Price Publication), Executed Size will be set to 0 (zero) and both Buy Attribution and Sell Attribution will be set to 301 (NEO Exchange's Broker ID).</i></p>	Value	Meaning	5	Internal Cross	11	Basis Cross	12	Contingent Cross	14	VWAP Cross	15	National Cross	16	Bypass Cross	17	Non-NEO Cross	18	Derivative Cross	19	Closing Price Publication
Value	Meaning																							
5	Internal Cross																							
11	Basis Cross																							
12	Contingent Cross																							
14	VWAP Cross																							
15	National Cross																							
16	Bypass Cross																							
17	Non-NEO Cross																							
18	Derivative Cross																							
19	Closing Price Publication																							

Flags	61	1	Bit Field	<b>Bit</b>	<b>Name</b>	<b>Meaning</b>
				0	LSP updated	0: No 1: Yes
				1	Bypass trade	0: No 1: Yes
				2	Manual Trade Correction	0: No 1: Yes
Order ID	62	8	UInt64	The unique identifier of the resting order in the book which got executed. Base 62 Encoded string for source venue AEQ converted to the Type specified. This will not be populated for hidden executions, NEO-N trades, Trade Cancellations, and Trade Corrections.		

### 8.6.12 Statistics

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x77</td> <td>Statistics</td> </tr> </tbody> </table>	Hex	Meaning	0x77	Statistics
Hex	Meaning							
0x77	Statistics							
Timestamp	3	8	UDT	Time the message was generated.				
Symbol	11	14	Alpha	Symbol of the instrument.				
Source venue	25	2	UInt16	Venue from which market data is received for the				

				instrument. This will be always set to 1 for NEO.
Volume	27	8	Size4	Cumulative volume of all trades for the trading day.
VWAP	35	8	Price4	Volume weighted average price for the day for all trades.
Number of Trades	43	4	UInt32	Count of all trades for the day.
Turnover	47	8	Price4	Turnover of all trades for the day.
Order Book Type	55	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.

### 8.6.13 Statistics Update

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x6a</td> <td>Statistics Update</td> </tr> </tbody> </table>	Hex	Meaning	0x6a	Statistics Update
Hex	Meaning							
0x6a	Statistics Update							
Timestamp	3	8	UDT	Time the message was generated.				
Symbol	11	14	Alpha	Symbol of the instrument.				
Source venue	25	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.				
Statistic Type	27	2	UInt16	The statistic that is disseminated with this				

				<p>message instance for the various NEO trading books only.</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Indicative Auction Uncrossing Data</td> </tr> <tr> <td>2</td> <td>Official Opening Price</td> </tr> <tr> <td>3</td> <td>Official Closing Price</td> </tr> <tr> <td>6</td> <td>Trade High</td> </tr> <tr> <td>7</td> <td>Trade Low</td> </tr> <tr> <td>8</td> <td>52 Wk Trade High All Trades</td> </tr> <tr> <td>9</td> <td>52 Wk Trade Low All Trades</td> </tr> <tr> <td>16</td> <td>Previous Close</td> </tr> </tbody> </table>	Value	Meaning	1	Indicative Auction Uncrossing Data	2	Official Opening Price	3	Official Closing Price	6	Trade High	7	Trade Low	8	52 Wk Trade High All Trades	9	52 Wk Trade Low All Trades	16	Previous Close
Value	Meaning																					
1	Indicative Auction Uncrossing Data																					
2	Official Opening Price																					
3	Official Closing Price																					
6	Trade High																					
7	Trade Low																					
8	52 Wk Trade High All Trades																					
9	52 Wk Trade Low All Trades																					
16	Previous Close																					
Stat Price	29	8	Price4	The value of Price type statistics. Note that If the Opening or Closing Price is cleared manually by the venue, "-1" will be stamped on this field to reflect that the Opening/Closing price was unset.																		
Auction Type	37	1	Byte	Populated if the Statistic Type is 1.																		

				<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>Closing Auction</td> </tr> <tr> <td>O</td> <td>Opening Auction</td> </tr> <tr> <td>A</td> <td>Re-opening</td> </tr> </tbody> </table>	Value	Meaning	C	Closing Auction	O	Opening Auction	A	Re-opening		
Value	Meaning													
C	Closing Auction													
O	Opening Auction													
A	Re-opening													
Imbalance Quantity	38	8	Size	Quantity that is eligible to be matched at the indicative price but will not be matched.										
Imbalance Direction	46	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>Buy Imbalance</td> </tr> <tr> <td>N</td> <td>No Imbalance</td> </tr> <tr> <td>O</td> <td>Insufficient Orders for Auction</td> </tr> <tr> <td>S</td> <td>Sell Imbalance</td> </tr> </tbody> </table>	Value	Meaning	B	Buy Imbalance	N	No Imbalance	O	Insufficient Orders for Auction	S	Sell Imbalance
Value	Meaning													
B	Buy Imbalance													
N	No Imbalance													
O	Insufficient Orders for Auction													
S	Sell Imbalance													
Opening/ Closing Price Indicator	47	1	Byte	Populated if the Statistic Type is 2 or 3. Please refer to the Additional Field Values section of this document for valid values.										
Order Book Type	48	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.										

#### 8.6.14 Statistics Snapshot

Field	Offset	Length	Type	Description				
Length	0	2	UInt16	Length of message including this field.				
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x6b</td> <td>Statistics Recovery</td> </tr> </tbody> </table>	Hex	Meaning	0x6b	Statistics Recovery
Hex	Meaning							
0x6b	Statistics Recovery							

Timestamp	3	8	UDT	Time the message was generated.
Symbol	11	14	Alpha	Symbol of the instrument.
Source venue	25	2	UInt16	Venue from which market data is received for the instrument. This will be always set to 1 for NEO.
Volume	27	8	Size4	Cumulative volume of all trades for the trading day.
VWAP	35	8	Price4	Volume weighted average price for the day for all trades.
Number of Trades	43	4	UInt32	Count of all trades for the day.
Turnover	47	8	Price4	Turnover of all trades for the day.
Official Opening Price	55	8	Price4	Opening Price for the instrument. Note that If the Opening price is cleared manually by the venue, "-1" will be stamped on this field to reflect that the Opening price was unset.
Official Closing Price	63	8	Price4	Closing Price for the instrument. Note that If the Closing Price is cleared manually by the venue, "-1" will be stamped on this field to reflect that the Closing price was unset.
Trade High	71	8	Price4	Day's high price of all trades.
Trade Low	79	8	Price4	Day's low price of all trades.

52 Wk Trade High	87	8	Price4	52 Week high price of all trades.										
52 Wk Trade Low	95	8	Price4	52 Week low price of all trades.										
Opening Price Indicator	103	1	Byte	Please refer to Description in Statistics Update message for valid values.										
Closing Price Indicator	104	1	Byte	Please refer to Description in Statistics Update message for valid values.										
IAU Price	105	8	Price4	Contains the last reported Indicative Auction Crossing Price.										
Imbalance Quantity	113	8	Size	Quantity that was eligible to be matched at the indicative price but was not to be matched at the last indicative price.										
Imbalance Direction	121	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>B</td> <td>Buy Imbalance</td> </tr> <tr> <td>N</td> <td>No Imbalance</td> </tr> <tr> <td>O</td> <td>Insufficient Orders for Auction</td> </tr> <tr> <td>S</td> <td>Sell Imbalance</td> </tr> </tbody> </table>	Value	Meaning	B	Buy Imbalance	N	No Imbalance	O	Insufficient Orders for Auction	S	Sell Imbalance
Value	Meaning													
B	Buy Imbalance													
N	No Imbalance													
O	Insufficient Orders for Auction													
S	Sell Imbalance													
Auction Type	122	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>C</td> <td>Closing Auction</td> </tr> <tr> <td>O</td> <td>Opening Auction</td> </tr> <tr> <td>A</td> <td>Re-opening</td> </tr> </tbody> </table>	Value	Meaning	C	Closing Auction	O	Opening Auction	A	Re-opening		
Value	Meaning													
C	Closing Auction													
O	Opening Auction													
A	Re-opening													



Order Book Type	123	1	UInt8	Please refer to the Additional Field Values section of this document for valid values.
Previous Close	124	8	Price4	Previous day's closing price.

### 8.6.15 Announcements

Field	Offset	Length	Type	Description								
Length	0	2	UInt16	Length of message including this field.								
Message Type	2	1	Byte	<table border="1"> <thead> <tr> <th>Hex</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0x75</td> <td>Announcements</td> </tr> </tbody> </table>	Hex	Meaning	0x75	Announcements				
Hex	Meaning											
0x75	Announcements											
Timestamp	3	8	UDT	Time the message was generated.								
Urgency	11	1	Byte	<table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Regular</td> </tr> <tr> <td>1</td> <td>High Priority</td> </tr> <tr> <td>2</td> <td>Low Priority</td> </tr> </tbody> </table>	Value	Meaning	0	Regular	1	High Priority	2	Low Priority
Value	Meaning											
0	Regular											
1	High Priority											
2	Low Priority											
Headline	12	50	Alpha	Headline or subject of the announcement.								
Text	62	120	Alpha	Text of the announcement.								
Symbols	182	30	Alpha	Pipe separated list of symbols of the securities for which the announcement has been sent.								
Underlying/Market	212	30	Alpha	Pipe separated list of symbols of the underlying securities/markets for which the announcement has been sent.								

## 9 Additional Field Values

### 9.1.1 Book Type

<b>Value</b>	<b>Meaning</b>
0	All Books
3	NEO-L
4	NEO-N
5	NEO-D
6	Cross
7	SST

N.B. A value of "0", All Books, is only valid for recovery requests. A consolidated statistics feed will not be published using the value of "0", All Books.

### 9.1.2 Segment

<b>Value</b>	<b>Meaning</b>
NEO	NEO Listed Securities
TSX	TSX Listed Securities
TSXV	TSXV Listed Securities
CSE	CSE Listed Securities
NEOC	NEO Connect Securities
FOTS	Foreign Other Traded Securities

### 9.1.3 Trading Status

Source Venue – AEQ:

<b>Value</b>	<b>Meaning</b>
H	Full Halt During a full halt, new orders cannot be entered and existing orders cannot be amended. Orders can only be cancelled.
J	Full Halt – Matching partition Suspended During a full halt, new orders cannot be entered and existing orders cannot be amended. Orders can only be cancelled.

K	<p>Full Halt – System Suspended</p> <p>During a full halt, new orders cannot be entered and existing orders cannot be amended. Orders can only be cancelled.</p>
T	<p>Post-Open</p> <p>During post-open, the normal order entry and trading rules of a specific book apply.</p>
a	<p>Pre-Open</p> <p>Applicable for NEO-L, orders can be entered, however no trades will occur until the system transitions to post-open.</p>
b	<p>Closed</p> <p>During a Closed state, new orders cannot be entered, existing orders cannot be amended or cancelled.</p>
c	<p>Market Closed</p> <p>The market is closed for the day. No new messages will be published for the given trading day.</p>
d	<p>Closing Auction Call</p> <p>Applicable to NEO-L, orders can be entered, however no trades will occur until the system executes the closing auction.</p>
e	<p>No Matching Halt – Auction</p> <p>During a No Matching Halt – Auction, new orders can be entered, existing orders can be amended or cancelled. Trades will only occur at the end of the specified session. Statistics will be published only when a potential auction trade can be executed at the end of the session.</p>
l	<p>No Matching Halt</p> <p>During a No Matching Halt, new orders can be entered, existing orders can be amended or cancelled. The symbol will first transition to No Matching Halt – Auction in order to enter a Post-Open state. No statistics will be published in this session.</p>
2	<p>Suspended</p> <p>A symbol can be suspended for various business reasons. Instrument directory messages will still be published, however the symbol will not be valid for trading on a given day. When a symbol enters a suspended session, all resting orders will be immediately cancelled.</p>
y	<p>Pre-Trading</p>

	During Pre-Trading session, no new orders can be entered and existing orders can not be amended or cancelled.
u	Extended Trading During Extended Trading, trades can only occur at the Last Sale Price for a NEO listed security within NEO-L.
r	Pre Close During Pre Close session, no new orders can be entered and existing orders can not be amended or cancelled for any of the PTF securities.
o	Pre-Open Applicable to the NEO Connect, orders can not be entered, however Trade messages and Statistics will be published only when an auction trade can be executed at the start of this session.  Applicable to NEO-D. NEO-D orders can be entered during this session but trading will not commence until Post-Open.
9	MOC Imbalance

#### 9.1.4 Opening / Closing Price Indicator

This can be configured to support any indicator:

Value	Meaning
A	Auction Trade
B	Post-Open Trade
C	Mid-Point
D	Last Post-Open Trade
E	Last Auction
F	Manual
H	VWAP
I	Previous Close
T	Theoretical Price
U	Best Bid
V	Best Offer
W	None

X	VWAP of Last n Trades
Y	Reference Price
Z	Price Unavailable

### 9.1.5 Gateway ID

NOTE: Instance 1 of each Gateway will be denoted by an Odd number and the instance 2 will be denoted by an even number.

Value	Process Name
1	<Specify the list of process names used for the services offered as channels> example: TOBGateway:1:1:TOBMarketDataGateway:1

### 9.1.6 Source Venue

Value	Meaning
1	AEQ (Aequitas NEO Exchange)

# 10 Appendix I

## 10.1 Conversion of Negative Values in Price Fields

Negative values are never expected to be sent on the NITCH feed in the normal course of events, however one may be sent in an unlikely error situation.

### 10.1.1 Encoding Negative Values in Price Fields

Decimal value = -1

Decimal value with eight implied decimal places = -100000000

Remove sign bit = 100000000

Convert to binary = 00000000 00000000 00000000 00000000 00000101 11110101  
11100001 00000000

Add sign bit = 10000000 00000000 00000000 00000000 00000101 11110101  
11100001 00000000

Hex value = 80 00 00 00 05 f5 e1 00

Hex value converted to Little endian = 00 e1 f5 05 00 00 00 80

### 10.1.2 Decoding Negative Values in Price Fields

Received bytes in hex = 00 e1 f5 05 00 00 00 80

Change the byte order to big endian = 80 00 00 00 05 f5 e1 00

Convert to binary = 10000000 00000000 00000000 00000000 00000101  
11110101 11100001 00000000

Most significant bit is set. Therefore this is a negative value.

Remove the sign bit = 00000000 00000000 00000000 00000000 00000101  
11110101 11100001 00000000

Convert to decimal = 100000000

Add sign to decimal = -100000000

Mark eight implied decimal places -1.00000000

# 11 Appendix II: Conversion of Order and Trade Identifiers

## 11.1 Order ID

### 11.1.1 Order ID format (in ASCII)

The composition of the Order IDs assigned by the matching system and received via FIX is given below. This Order ID is specified as ASCII printable characters and will not exceed 12 bytes.

12 bytes

0-9, A-Z, a-z

Base 62 encoded order id

The FIX Tag (Order ID (37)) can be directly converted to MITCH Order ID by using base 62 decoding.

### 11.1.2 Conversion Logic

The Order IDs assigned by the market data feed are specified as Little-Endian encoded 64 bit unsigned integers. The logic used to convert the Order ID received via FIX into the format used by the market data feed is as follows:

- Remove the left most byte (i.e. O of Order ID)
- Convert the rest of the digits to decimal using the base 62 dictionary
- Convert the decimal values to binary

#### **Example**

<b>OrderID received via FIX</b> (ASCII base 62 characters)	O06WoCOv0Lwq
---	--------------

**Step 1:** Remove the left most Byte "O" → 06WoCOv0Lwq

**Step 2:** Convert the rest of the digits to decimal using the base 62 dictionary. Please refer to the base 62 conversion table provided in Section 11.3.





## 11.2.2 Conversion Logic

The Trade IDs assigned by the market data feed are specified as Little-Endian encoded 64 bit unsigned integers. The logic used to convert the Trade ID received via FIX into the format used by the market data feed is as follows:

- Remove the left most byte (i.e. T of Trade ID) and the right most byte ( i.e. S or B denoting the side of the trade)
- Convert the rest of the digits to decimal using the base 62 dictionary
- Convert the decimal values to binary

### Example

<b>Trade ID received via FIX</b> (ASCII base 62 characters)	T1aNhwVdkvB
--	-------------

**Step 1:** Remove the left most Byte "T" and the right most byte "B" → 1aNhwVdkv

**Step 2:** Convert the rest of the digits to decimal using the base 62 dictionary. Please refer to the base 62 conversion table provided in Section 11.3.

Trade ID (ASCII Character)	Decimal Value	Base 62 <sup>x</sup>	Value	Multiplied Decimal Value
v	57	62 <sup>0</sup>	1	57
k	46	62 <sup>1</sup>	62	2852
d	39	62 <sup>2</sup>	3,844	149916
V	31	62 <sup>3</sup>	238,328	7388168
w	58	62 <sup>4</sup>	14,776,336	857027488
h	43	62 <sup>5</sup>	916,132,832	39393711776
N	23	62 <sup>6</sup>	56,800,235,584	1306405418432
a	36	62 <sup>7</sup>	3,521,614,606,208	126778125823488
1	1	62 <sup>8</sup>	218,340,105,584,896	218340105584896
<b>Total</b>				<b>346464895107073</b>

**Step 3:** Convert the decimal values to binary.

<b>Trade ID on Market Data Feed</b>	1001110110001101110100101000000000000000000000000000001
-------------------------------------	---

### 11.3 Base 62 Mapping Table

0	0	20	K	40	e	60	y
1	1	21	L	41	f	61	z
2	2	22	M	42	g		
3	3	23	N	43	h		
4	4	24	O	44	i		
5	5	25	P	45	j		
6	6	26	Q	46	k		
7	7	27	R	47	l		
8	8	28	S	48	m		
9	9	29	T	49	n		
10	A	30	U	50	o		
11	B	31	V	51	p		
12	C	32	W	52	q		
13	D	33	X	53	r		
14	E	34	Y	54	s		
15	F	35	Z	55	t		
16	G	36	a	56	u		
17	H	37	b	57	v		
18	I	38	c	58	w		
19	J	39	d	59	x		

